

JR3 Legacy Driver Installation

If you have previous versions installed:

1. Uninstall all JR3 PCI boards. Go to the Windows Control Panel, System Hardware, Device Manager. Delete all the JR3PCI boards.
2. Go to the Windows INF directory and remove any INF files related with JR3PCI boards.
3. See Uninstall of JR3 software_for other_steps to removing other files that can affect the install of JR3 software.

New users start here:

1. Unzip the jr3pci_driver.zip to your disk.

Installing Windriver's kernel module.

1. On **Windows 98/me**: copy **Windriver6.sys** to the Windows installation directory on the target computer: `%windir%\system32\drivers`.
2. (On **windows 2000/XP** this is done automatically when **wdreg** with the **install** command – see below.)
3. On **Windows 98/me**: copy **Windriver6.inf** to the Windows INF directory (`%windir%\inf`) so that Windows will be able to locate the file automatically.
4. (On **windows 2000/XP** this is done automatically when **wdreg** with the **install** command – see below.)
5. Use the utility **wdreg** to install windriver's kernel module on the target computer. From the command line type:

<full path to wdreg> wdreg -inf <full path to windrvr6.inf> install.


For example, if the full path is `c:\jr3pci_soft\driver\pci` \ directory on the target computer, the command should be:

c:\jr3pci_soft\driver\wdreg -inf c:\jr3pci_soft\driver\pci\windrvr6.inf install.

This will install windrvr6 driver

Now proceed to install your boards:

1. In the Device Manager right click and click on "scan for New Hardware". Windows will find your JR3PCI Boards .
2. When prompted, select "search for a suitable driver", select "specify a location", and give the location of the INF file corresponding to your board.
3. Windows will then install your board.
4. Everything is done:
5. Test your setup using the **JR3pci.exe application**. Be sure that **jr3pci.idm** is in the same folder as your application.
6. **The Device manager should have the following (NOTE you may have a different device ID card installed, image is representative):**



- JUNGO
 - Under Jungo you should have JR3PCI, or QJR3PCI and WinDriver.

Where:

JR3PCI = **Simple PCI Board (1 channel)**

QJR3PCI = **QPCI Board (more than 1 channel)**

WinDriver = **WinDriver driver**

Uninstall of JR3 Software/drivers

Uninstall Windriver:

The device driver is made by a tool called WinDriver by Jungo, and you must delete the driver from Device Manager. To do so, look for a device "Jungo" and click + sign. You can see drivers like "JR3QPCI" and "JNP". Click the driver and press the delete button. "JUNGO" will disappear.

Remove the following:

For 2000

For XP

Look in: Winnt\system32\drivers

Look in: Windows\system32\drivers

Delete: Windrvr*.sys

Delete: Windrvr*.sys

Delete: Wdnpn.sys

Delete: Wdnpn.sys

Look in: Winnt\inf

Look in: Windows\inf

Delete: Oem*.inf

Delete: Oem*.inf

Remove Registry keys:

Caution!!! Removing registry keys can damage your system, extreme care must be taken.

Click on "START", and select "RUN". Type in "regedit" in the dialog box and press Return. You will see "regedit" screen. Then look for the following registry keys:

HKEY_LOCAL_MACHINE\SYSTEM\CURRENTCONTROLSET\SERVICES\WINDRIVER*.

HKEY_LOCAL_MACHINE\SYSTEM\CURRENTCONTROLSET\SERVICES\WDPNP.

Click on the selected keys and press the delete button.

Power off your system and restart.

You now can re-install the driver again.